




Slide Nuts (SLN):



General Information:

Function: Fixes components to profiles.

Features:



1. Self aligning and cannot be rotated once inserted into the profile slot.
2. Easily repositioned once inserted into the aluminium profile slot by simple sliding actions.
3. Blank 'slide nut profile' are available in two lengths (300mm & 1000mm, see section 3.56).

Item Description:

SLN HS M6 - S8

Item Number:

1.20.2816.0 




Technical Information:

Item Description	Dim -A-	Weight (g)	Colour	Finish	Material
SLN HS M6 - S8	M6	20.0	Blue	Zinc plated	Steel



Roll-in Nuts (RIN):



General Information:

Function: Fixes components to profiles.

Features:

1. The spring pushes the 'spring nut' to the top of the profiles slot making it easy to engage the fastener.
2. Self aligning and will not rotate once inserted into the profile slot.
3. Can be inserted into the profile slots after the profile ends have been covered or connected to adjoining members.

Item Description:

RIN M5 - S10

Item Number:

C096085F






RIN M6 - S10

C096086F



RIN M8 - S10

C096088F







Technical Information:

Item Description	Dim -M-	Weight (g)	Colour	Finish	Material
RIN M5 - S10	M8	13.0	Blue	Zinc plated	Steel
RIN M6 - S10	M6	12.0			
RIN M8 - S10	M8	11.0			







Screws




Item Description	Socket Head Cap Screws 	Button Head Screws 	Counter Sunk Screws 	Grub Screws 
M4 x 6	-	-	-	1.24.0406.0
M4 x 10	1.21.0410.0	1.22.0410.0	1.23.0410.0	-
M4 x 12	1.21.0412.0	1.22.0412.0	1.23.0412.0	-
M4 x 16	1.21.0416.0	1.22.0416.0	1.23.0416.0	-
M4 x 20	1.21.0420.0	1.22.0420.0	-	-
M4 x 25	1.21.0425.0	-	-	-
M5 x 8	-	-	1.23.0508.0	-
M5 x 10	1.21.0510.0	1.22.0510.0	1.23.0510.0	1.24.0510.0
M5 x 12	1.21.0512.0	1.22.0512.0	1.21.0512.0	1.24.0512.0
M5 x 16	1.21.0516.0	1.22.0516.0	1.21.0516.0	1.24.0516.0
M5 x 20	1.21.0520.0	1.22.0520.0	1.21.0520.0	1.24.0520.0
M5 x 25	1.21.0525.0	1.22.0525.0	-	-
M5 x 30	1.21.0530.0	1.22.0530.0	-	-
M5 x 35	1.21.0535.0	-	-	-
M5 x 40	1.21.0540.0	-	-	-
M5 x 45	1.21.0545.0	-	-	-
M5 x 50	1.21.0550.0	-	-	-
M6 x 8	-	-	1.23.0608.0	-
M6 x 10	1.21.0610.0	1.22.0610.0	1.23.0610.0	1.24.0610.0
M6 x 12	1.21.0612.0	1.22.0612.0	1.23.0612.0	1.24.0612.0
M6 x 16	1.21.0616.0	1.22.0616.0	1.23.0616.0	1.24.0616.0
M6 x 20	1.21.0620.0	1.22.0620.0	1.23.0620.0	1.24.0620.0
M6 x 25	1.21.0625.0	1.22.0625.0	1.23.0625.0	-
M6 x 30	1.21.0630.0	1.22.0630.0	1.23.0630.0	-
M6 x 35	1.21.0635.0	1.22.0635.0	1.23.0635.0	-
M6 x 40	1.21.0640.0	1.22.0640.0	-	-
M6 x 45	1.21.0645.0	-	-	-
M6 x 50	1.21.0650.0	-	-	-
M8 x 8	-	-	-	1.24.0808.0
M8 x 10	-	-	-	1.24.0810.0
M8 x 12	1.21.0812.0	1.22.0812.0	1.23.0812.0	1.24.0812.0
M8 x 16	1.21.0816.0	1.22.0816.0	1.23.0816.0	1.24.0816.0
M8 x 20	1.21.0820.0	1.22.0820.0	1.23.0820.0	-
M8 x 25	1.21.0825.0	1.22.0825.0	1.23.0825.0	-
M8 x 30	1.21.0830.0	1.22.0830.0	-	-
M8 x 35	1.21.0835.0	1.22.0835.0	-	-
M8 x 40	1.21.0840.0	-	-	-
M8 x 45	1.21.0845.0	-	-	-
M8 x 50	1.21.0850.0	-	-	-
M8 x 60	1.21.0860.0	-	-	-
M8 x 70	1.21.0870.0	-	-	-
M10 x 20	1.21.1020.0	1.21.1020.0	-	-
M10 x 25	1.21.1025.0	1.21.1025.0	-	-
M10 x 30	1.21.1030.0	1.21.1030.0	-	-
M12 x 25	1.21.1225.0	1.21.1225.0	-	-





Screws

Item Description	Socket Head Cap Screws 	Button Head Screws 	Counter Sunk Screws 	Grub Screws 
M12 x 30	-	-	-	-
M12 x 40	-	1.22.1240.0	-	-
M12 x 50	-	1.22.1250.0	-	-
Technical Information:				
Material	Steel 12.8 zinc plated	Steel 12.8 zinc plated	Steel 12.8 zinc plated	Steel 12.8 zinc plated

Nuts

Item Description	M5	M6	M8	M10	M12	M16	M20	M24
 Hex. Nuts	1.32.2005.0	1.32.2006.0	1.32.2008.0	1.32.2010.0	1.32.2012.0	1.32.2016.0	1.32.2020.0	1.32.2024.0
 Wizz Nuts	1.32.0005.0	1.32.0006.0	1.32.0008.0	1.32.0010.0	1.32.0012.0	1.32.0016.0	1.32.0020.0	1.32.0024.0
 Nyloc Nuts	-	1.32.1006.0	1.32.1008.0	1.32.1010.0	1.32.1012.0	1.32.1016.0	-	-
Technical Information:								

Washers

Item Description	M4	M5	M6	M8	M10
 Flat washers	1.31.0004.0	1.31.0005.0	1.31.0006.0	1.31.0008.0	1.31.0008.0
 Counter sunk washers	-	1.31.1005.0	1.31.1006.0	1.31.1008.0	-
Technical Information:					



Section 4

Accessories





Table of Contents:

	Page:
Hinges:	
Plastic Hinge (PH)	4.09
PH 30 x 30	4.09
PH 30 x 45	4.09
Heavy - Duty Plastic Hinge (HPH)	4.10
HPH 45 x 45 - S10	4.10
Door Hinges (Hinge)	4.11
Hinge 70 - 50 M6	4.11
Hinge 70 - 50 M8	4.11
Hinge 80 - 102 M6	4.11
Hinge 80 - 102 M8	4.11
Plastic Combi Hinge (PCH)	4.12
PCH 20 x 20 - S6	4.12
PCH 25 x 25 - S8	4.13
PCH 30 x 30- S8	4.13
PCH 30 x 40	4.13
PCH 40 x 40 - S10	4.13
PCH 45 x 30	4.13
PCH 45 x 45 - S10	4.13
PCH 45 x 60	4.13
PCH 60 x 60 - S10	4.13
Plastic Combi Hinge & Locking Lever (PCH&LL)	4.14
PCH&LL 30 - S8	4.14
PCH&LL 40 - S8	4.14
PCH&LL 45 - S10	4.14
Plastic System Hinge (PSH)	4.15
PSH 30 x 30	4.15
Detachable Plastic Combi Hinge (DPCH)	4.16
DPCH 30 x 30 - S8, L	4.16
DPCH 40 x 40 - S10, L	4.16
DPCH 45 x 45 - S10, L	4.16
DPCH 30 x 30 - S8, R	4.16
DPCH 40 x 40 - S10, R	4.16
DPCH 45 x45 - S10, R	4.16
Metal Hinges (MH)	4.17
MH 40 x 40	4.17
MH 50 x 50	4.17
MH 50 x 65	4.18
Metal Hinges (MH)	4.18
MH 50 x 76	4.18
MH 50 x 80	4.19
MH 60 x 60	4.19
Detachable Metal Hinge (DMH)	4.20
DMH 30 x 30 - L	4.20
DMH 40 x 40 - L	4.20
DMH 30 x 30 - R	4.20



Table of Contents:

	Page:
Hinges:	
DMH 40 x 40 - R	4.20
Metal Combi Hinge & Locking Lever (MCH&LL)	4.21
MCH&LL 45 x 45 - S10	4.21
Metal Hinge - Constant Friction (MHF)	4.22
MHF 58 x 51	4.22
Positioning Metal Hinge (PMH)	4.23
PMH 60 x 60	4.23
Die-Cast Zn Hinge 40, Oblong Holes (OHH)	4.24
OHH 40 x 80	4.24
Detachable Stainless Steel Hinge (DSSH)	4.25
DSSH 50 x 50	4.25
Stainless Steel Hinge (SSH)	4.26
SSH 60 x 60	4.26
SSH 20 x 20	4.27
Handles:	
Bridge Handles (MH)	4.28
HDL 122	4.28
HDL 152	4.28
Ergo Handles (HDL - E)	4.28
HDL - E94	4.28
HDL - E117	4.28
Variable Handle (HDL-V)	4.29
HDL-V End Piece	4.29
HDL - V Support	4.29
Machine Handle (HDL-M)	4.30
HDL-M240	4.30
Hand Wheel (HW)	4.31
HW40	4.31
Ratchet Handles (HDL-R)	4.32
(1) HDL-R M6 x 20	4.32
(2) HDL-R M8 x 25	4.32
Catches & Latches:	
Slam Latch (SL)	4.33
SL - Universal	4.33
SL - Unique	4.33
Ball Latch (BLT)	4.34
BLT - M3	4.34
BLT - M4	4.34
Door Latch (DL)	4.35
DL 66 x 38	4.35
Ball Catch (BC)	4.36
BC - Light	4.36
BC - Strong	4.36
Magnetic Catch (MC-F)	4.36
MC - F	4.36



Table of Contents:

	Page:
Catches & Latches:	
Spacer for Ball Catch (BC-Spacer)	4.37
BC - Spacer	4.37
Mounting Pads & Casters:	
Mounting Pads (MPD)	4.38
MPD 40 x M8/60MS	4.38
MPD 40 x M8/35MS	4.38
MPD 40 x M10/60MS	4.38
MPD 60 x M12/65MS	4.38
MPD 60 x M16/65MS	4.38
MPD 90 x M12/65MS	4.38
MPD 90 x M16/65MS	4.38
Swivel Feet Base - Nylon (SWB-N)	4.39
SWB - N 30	4.39
SWB - N 40	4.39
SWB - N 45	4.39
SWB - N 50	4.39
SWB - N 60	4.39
SWB - N 80	4.39
SWB - N 100	4.39
Swivel Feet Base - Die Cast Zinc (SWB-Zn)	4.40
SWB - Zn 30	4.40
SWB - Zn 40	4.40
SWB - Zn 45	4.40
SWB - Zn 50	4.40
SWB - Zn 60	4.40
SWB - Zn 80	4.40
SWB - Zn 100	4.40
SWB - Zn 120	4.40
Swivel Feet Base - Stainless Steel (SWB-SS)	4.41
SWB - SS 30	4.41
SWB - SS 40	4.41
SWB - SS 45	4.41
SWB - SS 50	4.41
SWB - SS 60	4.41
SWB - SS 80	4.41
SWB - SS 100	4.41
SWB - SS 120	4.41
Extended Base - Die Cast Zinc (EXB-Zn)	4.42
EXB - Zn 80	4.42
Eco Feet Base - Nylon (ECB-N)	4.43
ECB - N 30	4.43
ECB - N 40	4.43
Eco Feet Base - Die Cast Zinc (ECB - Zn)	4.44
ECB - Zn 30 / ECB - B Zn 30	4.44
ECB - Zn 40 / ECB - B Zn 40	4.44



Table of Contents:

	Page:
Mounting Pads & Casters:	
Compact Feet Base (CFB)	4.45
CFB 60	4.45
CFB 80	4.45
CFB 100	4.45
Duck Feet (DF)	4.46
DF M16 x 100	4.46
DF M16 x 150	4.46
DF M16 x 200	4.46
DF M16 x 250	4.46
DF M16 x 300	4.46
Threaded Rod for Swivel Feet	4.47
Threaded Rod for Eco Feet	4.47
Threaded Rod for Compact Feet	4.48
Castors without Brake (CST)	4.49
CST 50	4.49
CST 75	4.49
CST 100	4.49
CST 125	4.49
CST 125 - Antistatic	4.49
Castors with Brake	4.50
CST 50 B	4.50
CST 75 B	4.50
CST 100 B	4.50
CST 125 B	4.50
CST 125 B - Antistatic	4.50
Transport Plates (TP)	4.51
TP 30 x 60	4.51
TP 45 x 90	4.51
TP 90 x 90	4.51
Foundation Brackets:	
Foundation Brackets (FBR)	4.52
FBR - R	4.52
FBR - L	4.52
Base Plates (BPT)	4.53
BPT 45 x 45	4.53
BPT 45 x 90	4.53
BPT 90 x 90	4.53
Mounting Brackets:	
Mounting Brackets (MBR)	4.54
MBR 30 x 30	4.54
MBR 40 x 40	4.54
Panel Mounting Brackets (PMB)	4.55
PMB	4.55
Swivel Fastener (SWF)	4.56
SWF	4.56



Table of Contents:

	Page:
End Covers & Cover Profiles:	
Cover Profiles (CPF)	4.57
CPF - S8	4.57
CPF - S10 Black	4.57
CPF - S10 Grey	4.57
End Covers (ECV)	4.58
ECV 19 x 32	4.58
ECV 19 x 45	4.58
ECV 20 x 20	4.58
ECV 30 x 30	4.58
ECV 45 x 45	4.58
ECV 45 x 60	4.58
ECV 60 x 60	4.58
ECV 45 x 90	4.58
ECV 90 x 90	4.58
Cover Profiles (ECV-R)	4.59
ECV 30R	4.59
ECV 45R	4.59
End Covers (ECV-H)	4.59
ECV 30 x 30 H	4.60
ECV 45 x 45 H)	4.60
ECV 45 x 60 H	4.60
ECV 60 x 60	4.60
Linear Motion:	
Support Wheel (SW)	4.61
SW - A	4.61
SW - B	4.61
SW - C	4.62
Gravity Rollers (GR)	4.63
Ø25 GR/Ø8 Shaft - PVC Roller	4.63
Ø50 GR/Ø8 Shaft - PVC Roller	4.63
Ø50 GR/Ø10 Shaft - PVC Roller	4.63
Ø25 GR/Ø8 Shaft - Galvanized Steel Roller	4.63
Ø50 GR/Ø8 Shaft - Galvanized Steel Roller	4.63
Ø50 GR/Ø10 Shaft - Galvanized Steel Roller	4.63
Ø25 GR/Ø8 Shaft - Aluminum	4.63
Track Roller Mounting (TRM)	4.64
TRM - Ø8	4.64
Roller Track (RT)	4.65
RT - Large	4.65
RT - Small	4.65
Tool Hanger (THG)	4.66
THG - S10	4.66
Sliding Pieces (SLP)	4.67
SLP 80A - S10	4.67
SLP 1000A - S10	4.67